



Prime Rate Kft. Színes Preflight Acrobat vXI. verzió, a beállítások képernyőképei találhatóak a dokumentumban, ami alapján elkészíthető a saját profil Acrobat korábbi verziójához. 1. kép az összesített profil listát tartalmazza, ezt követő képek soronként tartalmazzák a különböző beállításokat.



Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 -----> Visszajelzés kell, ill. fontbeágyazás: Embed All fonts Action, vagy Action: fontgömbzés 1. fele, majd optimizer fontgömbzés 2. fele, vagy fontgömbzés: PitStop9 Inspector, vagy jobb egérgomb / text / convert to outlines

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

TrimBox

This check is not locked.

Usage...

Group:

Property:

is not true

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 Visszajelzés kell (kivéve pl.: plakát)

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

TrimBox

This check is not locked.

Usage...

Group:

Property:

less than

Number:

Plus/minus:

Factor in page scaling factors

Group: Colors



Property:

greater than

Number:

Plus/minus:

OK Cancel



Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

TrimBox

This check is not locked.

Usage...

Group:

- ... All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Colors

Object uses Black only

is true

Group: Colors

Object uses Black with a percentage of

greater than

Number: 92

Plus/minus: 0

Group: Colors

Object uses Black with a percentage of

less than

Number: 100

Plus/minus:

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:

CMYK-ba konvertálás (lásd Preflight megjegyzés)

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

CropBox

This check is not locked.

Usage...

Group:

- ... All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Colors

Object uses CMYK or spot colors only

is not true

Group: Colors

Object is white

is not true

Group: Graphic state properties for fill

Constant alpha for fill

greater than

Number: 0

Plus/minus: 0

Group: Page description

Object is inside TrimBox and ArtBox

is true

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 CMYK-ba konvertálás (lásd Preflight megjegyzés)

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

CropBox

This check is not locked.

Usage...

Group:

- All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

Find

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Colors

Is spot color

is true

Group: Colors

Is registration color

is not true

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 -----> Action: fehér overprint kikapcsolása

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

CropBox

This check is not locked.

Usage...

Group:

- All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

Find

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Colors

Object is white

is true

Group: Graphic state properties for fill

Is overprint enabled for fill

is true

Group: Graphic state properties for fill



Constant alpha for fill

greater than

Number:

Plus/minus:

OK Cancel



Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 Illesztési hibánál a papír fehérje kvillanhat, mivel a körvonal mögött a háttér ki van ütve, nincs felülnyomásra állítva.
 ----> Action: Fekete overprintre
 ----> Quickrun: Alap

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

TrimBox

This check is not locked.

Usage...

Group:

- ... All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

Find

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Colors

Object uses Black with a percentage of

greater than

Number: 96

Plus/minus: 0

Group: Graphic state properties for stroke

Is overprint enabled for stroke

is not true

Group: Colors

Object uses CMYK only (no spot colors)

is true

Group: Colors

Is DeviceGray

is not true

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 Illesztési hibánál a papír fehérje kvillanhat, mivel az elem mögött a háttér ki van ütve, nincs felülnyomásra állítva.
 ----> Action: Fekete overprintre
 ----> Quickrun: Alap

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

TrimBox

This check is not locked.

Usage...

Group:

- ... All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

Find

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Colors

Object uses Black with a percentage of

greater than

Number: 96

Plus/minus: 0

Group: Graphic state properties for fill

Is overprint enabled for fill

is not true

Group: Colors

Object uses CMYK only (no spot colors)

is true

Group: Colors

Is DeviceGray



is true

Group: Colors

Object uses Black only

is true

OK Cancel



Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 PS írás előtt fehér volt kiütés nélkül

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

- All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

Find

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Colors

- Is Separation color space

is true

Group: Colors

- Is None color

is true

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 -----> Színprofil eltávolítása szükség esetén Action: ICC profile-t leszed
 -----> Vagy a színprofil felhasználva átkonvertálni Fogra 39-be
 Pstool Inspector/ Convert colors,
 a forrás (source) a beágyazott, a kimeneti (target) a Fogra-39

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

- All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

Find

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Colors

- Is ICC based color space

is true

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 Ha a vonal kisebb mint amit a kimeneti eszköz elő tud állítani, akkor baj lehet
 (line width is less than 0,14pt=0,05mm)
 ----> Action: vonalvastagsag_beall

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Graphic state properties for stroke

Effective line width

less than

Number:

Plus/minus:

Factor in page scaling factors

Group: Graphic state properties for stroke

Stroke adjustment

is true

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 A nem korszerű RIP-ek nem kezelik megfelelően (APPEIL modul nélkül) az 1.3-as PDF-ben és PS-ből készített PDF-ben elvileg nem is lehet, PDF/X1a, X3-ban nem engedett.

----> Optimiser Advanced
 menu/tools/printproduction/optmiser/transparency flattening
 ----> Save as optimised PDF (ugyanaz mint az optimiser)
 ----> PS visszairás
 ----> Fixup

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: General Graphic state properties

Has transparency

is true

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 OverPrint Mode 0 (not Illustrator Overprint Mode)
 A felülnyomás mód 0 típusú (nem illusztrátor OPM1)
 Az Acrobat overprint preview nézete furcsán jeleníti meg a felülnyomást és egyes RIP-ek sem megfelelően kezelnek a beállítást (2009 előtt a PERA rendszeréhez kellett).

----> PitStop Action: OPM-1-re

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

- ... All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

Find

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: General Graphic state properties

- Is Illustrator overprint mode

is not true

Group: Graphic state properties for fill

- Is overprint enabled for fill

is true

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 OverPrint Mode 0 (not Illustrator Overprint Mode)
 A felülnyomás mód 0 típusú (nem illusztrátor OPM1)
 Az Acrobat overprint preview nézete furcsán jeleníti meg a felülnyomást és egyes RIP-ek sem megfelelően kezelnek a beállítást (2009 előtt a PERA rendszeréhez kellett).

----> PitStop Action: OPM-1-re

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

- ... All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

Find

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: General Graphic state properties

- Is Illustrator overprint mode

is not true

Group: Graphic state properties for stroke

- Is overprint enabled for stroke

is true

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 --> ha nem szándékos akkor Global Change: change color, remap color, 4 szín feketéből 100% fekete + OP
 vékonyabb elemeknél (vonal, kisebb betűfokozat) a színkvonatok elcsúszásakor probléma lehet

Fire if any condition is met

Apply this check to:
 Page contents
 Appearance of annotations
 Appearance of form fields
 Soft masks
 Current file
 Embedded files
 Ignore objects outside

This check is not locked.

Usage...

Group:

- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Page description
 Object is inside TrimBox and ArtBox
 is true

Group: Colors
 Object uses Cyan with a percentage of
 greater than or equal to
 Number: 55
 Plus/minus:

Group: Colors
 Object uses Magenta with a percentage of
 greater than or equal to
 Number: 50
 Plus/minus:

Group: Colors
 Object uses Yellow with a percentage of
 greater than or equal to
 Number: 40
 Plus/minus:

Group: Colors
 Object uses Black with a percentage of
 greater than or equal to
 Number: 40
 Plus/minus:

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 --> ha nem szándékos akkor Global Change: change color, remap color, 4 szín feketéből 100% fekete + OP

vékonyabb elemeknél (vonal, kisebb betűfokozat) a színkvonatok elcsúszásakor probléma lehet

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

CropBox

This check is not locked.

Usage...

Group: ... All

- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property: Find

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Page description

- Object is inside TrimBox and ArtBox

is true

Group: Colors

- Object uses Cyan with a percentage of

greater than or equal to

Number:

Plus/minus:

Group: Colors

- Object uses Magenta with a percentage of

greater than or equal to

Number:

Plus/minus:

Group: Colors

- Object uses Yellow with a percentage of

greater than or equal to

Number:

Plus/minus:

Group: Colors

- Object uses Black with a percentage of

greater than or equal to

Number:

Plus/minus:

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 Színkvonát illesztési hibánál probléma lehet
 meggyőződni a feketén kívül használt szín okáról
 ha nem tudatos ----> Action: 95%-nál telítettebb fekete alatti szín leszedése + Fekete OP

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

CropBox

This check is not locked.

Usage...

Group: ... All

- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property: Find

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Page description

- Object is inside TrimBox and ArtBox

is true

Group: Colors

- Object uses Black only

is not true

Group: Colors

- Object uses Black with a percentage of

greater than

Number:

Plus/minus:

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 Ghent PDF Workgroup ajánlása szerint nem szabad a PDF-ben hagyni, mivel rippelésnél hibát okozhat (Movie, Sound, TrapNet and PrinterMark)
 ---> ha nem kell nyomásban, akkor Acrobat bal alsó sarkában comments, vagy attachments fül megnyit kitorolni a dolgokat, vagy
 ---> Fixup tisztításV2
 ---> ha a megjegyzés kell akkor Fixup: megjegyzések beágyazása

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

MediaBox

This check is not locked.

Usage...

Group: Annotations

Type of annotation

is contained in

Text: Movie Sound TrapNet PrinterMark

Property:

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 Form field (ürlapmező), vagy Java szkript lehet ezt törölni kell, mert rippelésnél hibát okozhat (PDFX)
 ---> Optimizer tisztítás
 ---> Action még nincs hozzá
 ---> Fixup tisztításV2

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

CropBox

This check is not locked.

Usage...

Group: Annotations

Has actions

is true

Group: Form fields

Has actions

is true

Group: Document

Has actions

is true

Property:

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 A megjegyzést nem nyomtatják automatikusan ill. hibát is okozhat
 ---> ha nem kell nyomásban, akkor Acrobat bal alsó sarkában
 comments, vagy attachments fül megnyit kitorolni a dolgokat, vagy
 ---> Fixup tisztításV2
 ---> ha a megjegyzés kell akkor Fixup: megjegyzések beágyazása,
 vagy szerkesztés

Fire if any condition is met

Apply this check to:

Page contents
 Appearance of annotations
 Appearance of form fields
 Soft masks
 Current file
 Embedded files
 Ignore objects outside

CropBox

This check is not locked.

Usage...

Group:

- All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

- Can be mapped to Unicode
All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Annotations

Annotation is inside BleedBox or TrimBox

is true

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:

Fire if any condition is met

Apply this check to:

Page contents
 Appearance of annotations
 Appearance of form fields
 Soft masks
 Current file
 Embedded files
 Ignore objects outside

CropBox

This check is not locked.

Usage...

Group:

- All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

- Can be mapped to Unicode
All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Pages

Effective ink coverage

greater than

Threshold: %

Sample size: Millimeters

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 Nézd meg a csatolmányt (Acrobat bal alsó sarok attachment fül)
 A beágyazott distiller joboption nem számít hibának

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

CropBox

This check is not locked.

Usage...

Group:

- All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

- Can be mapped to Unicode
All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Document
 PDF contains EF (embedded file) entry
 is true

Group: Document
 Has Distiller job options
 is not true

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 --> újra küldetés vagy vizuális vizsgálat összes oldal átlapozása + PS írás próba

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

CropBox

This check is not locked.

Usage...

Group:

- All
- Text
- Font
- Image
- Colors
- ICC color spaces
- Graphic state properties for fill
- Graphic state properties for stroke
- General Graphic state properties
- Halftone

Property:

- Can be mapped to Unicode
All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Group: Document
 Is damaged
 This property has no configurable parameters.

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 ---> Action: Pagebox info, riport szerűen megmutatja az oldalak méretezését
 ---> vizuális vizsgálat, hiba jelzése, méretezés, forgatás v. szétszedés feladattal függően
 ---> PitStop profile

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

Property:

is not true

Factor in page scaling factors

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 Kitéltött űrlapmező nyomtatása problémákba ütközhet.
 ---> Optimizer: tisztítás
 ---> Fixup: tisztítás

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

Property:

is true

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 Problémákat okozhat rippelésnél
 ---> Optimizer: tisztítás
 ---> Fixup: tisztítás

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

- Has JavaScripts

is true

Property:

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 (PDF format version number is less than 1.3)
 ---> PDF optimizer (PDF 1.3-re beállítás) a korrekció végén

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

- PDF format version

less than

Number:

Plus/minus:

Property:

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 (PDF format version number is greater than 1.4)
 --> PDF optimizer (PDF 1.4-re beállítás) a korrekció végén

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

- PDF format version

greater than

Number:

Plus/minus:

Property:

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 ----- save as PS ----- disztillálás (PR standard)----- ellenőrzés
 ----- elfogadtatás

Fire if any condition is met

Apply this check to:

- Page contents
- Appearance of annotations
- Appearance of form fields
- Soft masks
- Current file
- Embedded files
- Ignore objects outside

This check is not locked.

Group:

- Was created with PDFWriter

is true

Group: Document info

- Producer

contains

Text:

Property:

- Can be mapped to Unicode
- All glyphs in the text can be mapped to Unicode.
- Character has ActualText entry
- Character is mapped to Unicode Private Use Area (PUA)
- Character references .notdef glyph
- Character references glyph with contours
- Contains white space characters
- Horizontal text scaling
- Is scaled horizontally
- Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 Be és kikapcsolható rétegeket tartalmaz a PDF, mint pl. a Photoshopban.
 Rippelésnél problémás lehet. (PDFX)
 ---> Optimizer: tisztítás
 ---> Fixup: tisztítás
 Rétegeket össze kell olvasztani, majd 1.4-1.3-as PDF verzióba menteni

Fire if any condition is met

Apply this check to:

Page contents
 Appearance of annotations
 Appearance of form fields
 Soft masks
 Current file
 Embedded files
 Ignore objects outside

CropBox

This check is not locked.

Usage...

Group: Document

Has layers

is true

Property:

Can be mapped to Unicode
 All glyphs in the text can be mapped to Unicode.
 Character has ActualText entry
 Character is mapped to Unicode Private Use Area (PUA)
 Character references .notdef glyph
 Character references glyph with contours
 Contains white space characters
 Horizontal text scaling
 Is scaled horizontally
 Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

OK Cancel

Preflight: Edit Check

When check fires, report as:

When it does not fire, report as:

Explanation for this check:
 CMYK-ba konvertálás (lásd Preflight megjegyzés)

Fire if any condition is met

Apply this check to:

Page contents
 Appearance of annotations
 Appearance of form fields
 Soft masks
 Current file
 Embedded files
 Ignore objects outside

CropBox

This check is not locked.

Usage...

Group: Document

Number of plates

greater than

Number:

Plus/minus:

Property:

Can be mapped to Unicode
 All glyphs in the text can be mapped to Unicode.
 Character has ActualText entry
 Character is mapped to Unicode Private Use Area (PUA)
 Character references .notdef glyph
 Character references glyph with contours
 Contains white space characters
 Horizontal text scaling
 Is scaled horizontally
 Mismatch between encoding in embedded font and ToUnicode table

Select a property in the "Property" list and click the "Add" button in the selected property entry to insert the property.

OK Cancel

